



000032603

MEETING MINUTES—

MEETING WITH COLORADO DEPARTMENT OF HEALTH, U.S. ENVIRONMENTAL PROTECTION AGENCY, U.S. DEPARTMENT OF ENERGY AND EG&G ROCKY FLATS INC.

DATE: JUNE 15, 1993 2:30 PM Director's Conference Room, Interlocken

PURPOSE: RESOLVE ISSUES REGARDING THE APPROVAL OF THE REVISED FINAL PHASE I RFI/RI WORKPLAN FOR OPERABLE UNIT 13

ATTENDEES

R. H. Birk, USDOE;
M.F. McHugh, EG&G Rocky Flats;
R. Hoagland, EG&G Rocky Flats;
Jeff Swanson, CDH;
Joe Schieffelin, CDH;
Gary Kleeman, USEPA.

A proposed meeting agenda was distributed.

R. Birk provided the introductions. CDH requested that page 6-72 be provided, and that a sentence clarifying the use of the HPGe for surficial soils sampling be added on page 6-38. DOE agreed to the requests. EG&G will provide the requested changes for CDH and EPA. EPA hopes to complete their review in the next couple of weeks.

A frank and lively discussion of the appropriate statistical methods for determining the presence or absence of contamination, and the nature and extent of contamination in OU 13 surficial soils and the subsurface ensued. CDH requested that DOE and EG&G modify the statistical discussion presented in the work plan to include a brief discussion of how the results would be interpreted (related to background) and what actions would be taken if there was no detectable contamination found in the samples.

CDH also had a problem with the geographic grouping of IHSSs. The

ADMIN RECCRD

A-DU13-000003

1/2

grouping of IHSSs 117.1 and 197; 128, 171 and 134N; and the area north of 134S and 134S appeared to be acceptable to CDH at first glance. There were concerns with 117.2 and 158 grouping. They recommended that they should be separate areas. EPA concurred. DOE and EG&G agreed to review the groupings and revise or provide additional explanation of the existing groupings.

CDH agreed to send DOE a letter conditionally approving the OU 13 work plan with the stipulation that DOE and EG&G meet the requirements expressed above. CDH will grant DOE and EG&G six weeks to furnish the final revision of the work plan.

The meeting was adjourned.